


## Bezeichnung: HTD 5M

Teilung: **5 mm**

Werkstoff: Aluminium  
UNI 9006-T6 (Al)




Bestellnummer	Code	ZZ	D	L1	L
925-005-0012	5M 12	12	17,96	160	160
925-005-0013	5M 13	13	19,55	160	160
925-005-0014	5M 14	14	21,14	175	200
925-005-0015	5M 15	15	22,73	175	200
925-005-0016	5M 16	16	24,32	175	200
925-005-0017	5M 17	17	25,92	175	200
925-005-0018	5M 18	18	27,51	200	200
925-005-0019	5M 19	19	29,10	200	200
925-005-0020	5M 20	20	30,69	200	200
925-005-0021	5M 21	21	32,28	200	200
925-005-0022	5M 22	22	33,87	200	200
925-005-0023	5M 23	23	35,47	200	200
925-005-0024	5M 24	24	37,06	200	200
925-005-0025	5M 25	25	38,65	200	200
925-005-0026	5M 26	26	40,24	200	200
925-005-0027	5M 27	27	41,83	200	200
925-005-0028	5M 28	28	43,42	200	200
925-005-0030	5M 30	30	46,61	200	200
925-005-0032	5M 32	32	49,79	200	200
925-005-0034	5M 34	34	52,97	200	200
925-005-0036	5M 36	36	56,16	200	200
925-005-0038	5M 38	38	59,34	200	200
925-005-0040	5M 40	40	62,52	200	200
925-005-0042	5M 42	42	65,71	200	200
925-005-0044	5M 44	44	68,89	200	200
925-005-0045	5M 45	45	70,48	200	200
925-005-0048	5M 48	48	75,25	200	200
925-005-0050	5M 50	50	78,44	200	200
925-005-0060	5M 60	60	94,35	200	200
925-005-0072	5M 72	72	113,45	200	200

### Bezeichnung: HTD 8M

Teilung: 8 mm

Werkstoff: Stahl




Bestellnummer	Code	ZZ	D	L1	L
925-006-0018	8M 18	18	44,47	200	200
925-006-0019	8M 19	19	47,01	200	200
925-006-0020	8M 20	20	49,56	200	200
925-006-0021	8M 21	21	52,11	200	200
925-006-0022	8M 22	22	54,65	200	200
925-006-0023	8M 23	23	57,20	200	200
925-006-0024	8M 24	24	59,75	200	200
925-006-0025	8M 25	25	62,29	200	200
925-006-0026	8M 26	26	64,84	200	200
925-006-0028	8M 28	28	69,93	200	200
925-006-0030	8M 30	30	75,02	200	200
925-006-0032	8M 32	32	80,12	200	200
925-006-0034	8M 34	34	85,21	200	200
925-006-0035	8M 35	35	87,76	200	200
925-006-0036	8M 36	36	90,30	200	200
925-006-0038	8M 38	38	95,40	200	200
925-006-0040	8M 40	40	100,49	200	200
925-006-0044	8M 44	44	110,68	200	200
925-006-0048	8M 48	48	120,86	200	200

## Bezeichnung: T 2,5

Teilung: 2,5 mm

Werkstoff: Aluminium  
UNI 9006-T6 (Al)




Bestellnummer	Code	ZZ	D	L1	L
925-000-0010	T 2,5 10	10	7,42	50	75
925-000-0012	T 2,5 12	12	9,00	50	75
925-000-0013	T 2,5 13	13	9,80	50	75
925-000-0014	T 2,5 14	14	10,60	50	75
925-000-0015	T 2,5 15	15	11,40	75	75
925-000-0016	T 2,5 16	16	12,20	75	75
925-000-0017	T 2,5 17	17	13,00	75	75
925-000-0018	T 2,5 18	18	13,80	75	75
925-000-0019	T 2,5 19	19	14,60	120	120
925-000-0020	T 2,5 20	20	15,40	120	120
925-000-0021	T 2,5 21	21	16,20	120	120
925-000-0022	T 2,5 22	22	17,00	140	140
925-000-0024	T 2,5 24	24	18,55	140	140
925-000-0025	T 2,5 25	26	20,15	140	140
925-000-0026	T 2,5 26	27	20,95	140	140
925-000-0027	T 2,5 27	28	21,75	140	140
925-000-0028	T 2,5 28	29	22,55	140	140
925-000-0030	T 2,5 30	30	23,35	140	140
925-000-0032	T 2,5 32	32	24,95	140	140
925-000-0034	T 2,5 34	34	26,55	140	140
925-000-0035	T 2,5 35	35	27,35	140	140
925-000-0036	T 2,5 36	36	28,10	140	140
925-000-0038	T 2,5 38	38	29,70	140	140
925-000-0040	T 2,5 40	40	31,30	140	140
925-000-0042	T 2,5 42	42	32,90	140	140
925-000-0044	T 2,5 44	44	34,50	140	140
925-000-0045	T 2,5 45	45	35,30	140	140
925-000-0048	T 2,5 48	48	37,70	140	140
925-000-0050	T 2,5 50	50	39,29	160	160
925-000-0060	T 2,5 60	60	47,25	160	160
925-000-0065	T 2,5 65	65	51,20	160	160
925-000-0070	T 2,5 70	70	55,20	160	160
925-000-0072	T 2,5 72	72	56,80	160	160

Bestellnummer	Code	ZZ	D	L1	L
925-000-0090	T 2,5 90	90	71,12	160	160
925-000-0100	T 2,5 100	100	79,08	160	160

### Bezeichnung: T 5

Teilung: 5 mm

Werkstoff: Aluminium  
UNI 9006-T6 (Al)




Bestellnummer	Code	ZZ	D	L1	L
925-001-0010	T 5 10	10	15,05	140	140
925-001-0011	T 5 11	11	16,65	140	140
925-001-0012	T 5 12	12	18,25	140	140
925-001-0013	T 5 13	13	19,85	140	140
925-001-0014	T 5 14	14	21,45	140	140
925-001-0015	T 5 15	15	23,05	140	140
925-001-0016	T 5 16	16	24,60	140	140
925-001-0017	T 5 17	17	26,20	140	140
925-001-0018	T 5 18	18	27,80	140	140
925-001-0019	T 5 19	19	29,40	140	140
925-001-0020	T 5 20	20	31,00	160	160
925-001-0021	T 5 21	21	32,70	160	160
925-001-0022	T 5 22	22	34,25	160	160
925-001-0023	T 5 23	23	35,85	160	160
925-001-0024	T 5 24	24	37,40	160	160
925-001-0025	T 5 25	25	38,95	160	160
925-001-0026	T 5 26	26	40,60	160	160
925-001-0027	T 5 27	27	42,20	160	160
925-001-0028	T 5 28	28	43,75	160	160
925-001-0029	T 5 29	29	45,35	160	160
925-001-0030	T 5 30	30	46,95	160	160
925-001-0032	T 5 32	32	50,10	160	160
925-001-0034	T 5 34	34	53,25	160	160
925-001-0035	T 5 35	35	54,85	160	160
925-001-0036	T 5 36	36	56,45	160	160
925-001-0037	T 5 37	37	58,06	160	160
925-001-0038	T 5 38	38	59,65	160	160
925-001-0040	T 5 40	40	62,85	160	160
925-001-0042	T 5 42	42	66,00	160	160
925-001-0044	T 5 44	44	69,20	160	160
925-001-0045	T 5 45	45	70,80	160	160
925-001-0046	T 5 46	46	72,40	160	160
925-001-0048	T 5 48	48	75,55	160	160

Bestellnummer	Code	ZZ	D	L1	L
925-001-0050	T 5 50	50	78,75	160	160
925-001-0060	T 5 60	60	94,65	160	160
925-001-0072	T 5 72	72	113,75	160	160
925-001-0080	T 5 80	80	126,48	160	160
925-001-0090	T 5 90	90	142,40	160	160
925-001-0100	T 5 100	100	158,31	160	160

## Bezeichnung: T 10

Teilung: 10 mm

Werkstoff: Aluminium  
UNI 9006-T6 (Al)




Bestellnummer	Code	ZZ	D	L1	L
925-002-0010	T 10 10	10	29,98	140	140
925-002-0011	T 10 11	11	33,16	140	140
925-002-0012	T 10 12	12	36,35	140	140
925-002-0013	T 10 13	13	39,55	140	140
925-002-0014	T 10 14	14	42,70	160	160
925-002-0015	T 10 15	15	45,90	160	160
925-002-0016	T 10 16	16	49,10	160	160
925-002-0017	T 10 17	17	52,25	160	160
925-002-0018	T 10 18	18	55,45	160	160
925-002-0019	T 10 19	19	58,65	160	160
925-002-0020	T 10 20	20	61,80	160	160
925-002-0021	T 10 21	21	65,00	160	160
925-002-0022	T 10 22	22	68,20	160	160
925-002-0023	T 10 23	23	71,35	160	160
925-002-0024	T 10 24	24	74,55	160	160
925-002-0026	T 10 26	26	80,90	160	160
925-002-0028	T 10 28	28	87,25	160	160
925-002-0030	T 10 30	30	93,65	160	160
925-002-0032	T 10 32	32	100,00	160	160
925-002-0034	T 10 34	34	106,40	160	160
925-002-0036	T 10 36	36	112,75	160	160
925-002-0038	T 10 38	38	119,10	160	160
925-002-0040	T 10 40	40	125,45	160	160
925-002-0045	T 10 45	45	141,40	160	160
925-002-0048	T 10 48	48	150,95	160	160
925-002-0060	T 10 60	60	189,15	160	160
925-002-0072	T 10 72	72	227,29	160	160

### Bezeichnung: AT 5

Teilung: 5 mm

Werkstoff: Aluminium  
UNI 9006-T6 (Al)




Bestellnummer	Code	ZZ	D	L1	L
925-003-0012	AT 5 12	12	17,85	140	140
925-003-0013	AT 5 13	13	19,45	140	140
925-003-0014	AT 5 14	14	21,05	140	140
925-003-0015	AT 5 15	15	22,65	140	140
925-003-0016	AT 5 16	16	24,20	140	140
925-003-0017	AT 5 17	17	25,80	140	140
925-003-0018	AT 5 18	18	27,40	140	140
925-003-0019	AT 5 19	19	29,00	140	140
925-003-0020	AT 5 20	20	30,60	160	160
925-003-0021	AT 5 21	21	32,30	160	160
925-003-0022	AT 5 22	22	33,85	160	160
925-003-0023	AT 5 23	23	35,45	160	160
925-003-0024	AT 5 24	24	37,00	160	160
925-003-0025	AT 5 25	25	38,55	160	160
925-003-0026	AT 5 26	26	40,20	160	160
925-003-0027	AT 5 27	27	41,80	160	160
925-003-0028	AT 5 28	28	43,35	160	160
925-003-0030	AT 5 30	30	46,55	160	160
925-003-0032	AT 5 32	32	49,70	160	160
925-003-0034	AT 5 34	34	52,85	160	160
925-003-0036	AT 5 36	36	56,05	160	160
925-003-0038	AT 5 38	38	59,25	160	160
925-003-0040	AT 5 40	40	62,45	160	160
925-003-0042	AT 5 42	42	65,60	160	160
925-003-0044	AT 5 44	44	68,80	160	160
925-003-0046	AT 5 46	46	72,00	160	160
925-003-0048	AT 5 48	48	75,15	160	160
925-003-0052	AT 5 52	52	81,55	160	160
925-003-0056	AT 5 56	56	87,90	160	160
925-003-0058	AT 5 58	58	91,10	160	160
925-003-0060	AT 5 60	60	94,25	160	160
925-003-0064	AT 5 64	64	100,65	160	160
925-003-0072	AT 5 72	72	113,35	160	160

## Bezeichnung: AT 10

Teilung: **10 mm**

Werkstoff: Aluminium  
UNI 9006-T6 (Al)



Bestellnummer	Code	ZZ	D	L1	L
925-004-0015	AT 10 15	15	45,90	160	160
925-004-0016	AT 10 16	16	49,10	160	160
925-004-0017	AT 10 17	17	52,25	160	160
925-004-0018	AT 10 18	18	55,45	160	160
925-004-0019	AT 10 19	19	58,65	160	160
925-004-0020	AT 10 20	20	61,80	160	160
925-004-0021	AT 10 21	21	65,00	160	160
925-004-0022	AT 10 22	22	68,20	160	160
925-004-0023	AT 10 23	23	71,35	160	160
925-004-0024	AT 10 24	24	74,55	160	160
925-004-0025	AT 10 25	25	77,75	160	160
925-004-0026	AT 10 26	26	80,90	160	160
925-004-0027	AT 10 27	27	84,05	160	160
925-004-0028	AT 10 28	28	87,25	160	160
925-004-0030	AT 10 30	30	93,65	160	160
925-004-0032	AT 10 32	32	100,00	160	160
925-004-0034	AT 10 34	34	106,40	160	160
925-004-0036	AT 10 36	36	112,75	160	160
925-004-0038	AT 10 38	38	119,10	160	160
925-004-0040	AT 10 40	40	125,45	160	160
925-004-0042	AT 10 42	42	131,85	160	160
925-004-0044	AT 10 44	44	138,20	160	160
925-004-0046	AT 10 46	46	144,55	160	160
925-004-0048	AT 10 48	48	150,95	160	160
925-004-0052	AT 10 52	52	163,65	160	160
925-004-0056	AT 10 56	56	176,40	160	160
925-004-0058	AT 10 58	58	182,75	160	160
925-004-0060	AT 10 60	60	189,15	160	160
925-004-0064	AT 10 64	70	220,95	160	160