





ISO-Nr. : **06 B-1**
 9,525 x 5,72 mm
 3/8" x 7/32"

Rollen Ø: 6,35 mm
 Werkstoff: Stahl C45
 Werkstoff ab ZZ 57: Grauguss EN-GJL-200

B1	C	r3
5,3	1,0	10,0







Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-101-0017	17	55,5	51,83	45	22	1008	1	220-010-08xx
604-101-0018	18	58,6	54,85	45	22	1008	1	220-010-08xx
604-101-0019	19	61,6	57,86	45	22	1008	1	220-010-08xx
604-101-0020	20	64,6	60,89	46	22	1008	1	220-010-08xx
604-101-0021	21	67,6	63,90	46	22	1008	1	220-010-08xx
604-101-0022	22	70,6	66,93	55	22	1108	1	220-010-08xx
604-101-0023	23	73,7	69,95	63	25	1210	1	220-012-10xx
604-101-0024	24	76,7	72,97	63	25	1210	1	220-012-10xx
604-101-0025	25	79,7	75,99	63	25	1210	1	220-012-10xx
604-101-0026	26	82,7	79,02	63	25	1210	1	220-012-10xx
604-101-0027	27	85,7	82,04	63	25	1210	1	220-012-10xx
604-101-0028	28	88,8	85,07	63	25	1210	1	220-012-10xx
604-101-0030	30	94,8	91,12	63	25	1210	1	220-012-10xx
604-101-0038	38	119,0	115,34	70	25	1210	1	220-012-10xx
604-101-0045	45	141,1	136,54	70	25	1210	1	220-012-10xx
604-101-0057	57	177,5	172,91	83	25	1210	6	220-012-10xx
604-101-0076	76	235,1	230,49	83	25	1210	6	220-012-10xx

ISO-Nr. : **08 B-1**
12,7 x 7,75 mm
1/2" x 5/16"

Rollen Ø: 8,51 mm
 Werkstoff: Stahl C45
 Werkstoff ab ZZ 57: Grauguss EN-GJL-200

B1	C	r3
7,2	1,3	13,0







Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-201-0015	15	66,5	61,80	45	22	1008	1	220-010-08xx
604-201-0016	16	69,9	65,10	50	22	1108	1	220-012-10xx
604-201-0017	17	74,5	69,11	60	25	1210	1	220-012-10xx
604-201-0018	18	78,0	73,14	60	25	1210	1	220-012-10xx
604-201-0019	19	82,5	77,15	63	25	1210	1	220-012-10xx
604-201-0020	20	86,0	81,19	67	25	1610	1	220-016-10xx
604-201-0021	21	90,6	85,21	71	25	1610	1	220-016-10xx
604-201-0022	22	94,1	89,24	71	25	1610	1	220-016-10xx
604-201-0023	23	98,7	93,26	76	25	1610	1	220-016-10xx
604-201-0024	24	102,1	97,29	76	25	1610	1	220-016-10xx
604-201-0025	25	106,7	101,32	76	25	1610	1	220-016-10xx
604-201-0026	26	110,2	105,36	76	25	1610	1	220-016-10xx
604-201-0027	27	114,8	109,39	76	25	1610	1	220-016-10xx
604-201-0028	28	118,3	113,42	90	32	2012	1	220-020-12xx
604-201-0030	30	126,9	121,49	90	32	2012	1	220-020-12xx
604-201-0038	38	159,2	153,79	90	32	2012	1	220-020-12xx
604-201-0045	45	188,6	182,07	111	32	2012	1	220-020-12xx
604-201-0057	57	237,1	230,54	111	32	2012	6	220-020-12xx
604-201-0076	76	313,9	307,33	111	32	2012	6	220-020-12xx

ISO-Nr. : **10 B-1**
15,875 x 9,65 mm
5/8" x 3/8"

Rollen Ø: 10,16 mm
 Werkstoff: Stahl C45
 Werkstoff ab ZZ 57: Grauguss EN-GJL-200

B1	C	r3
9,1	1,6	16,0







Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-301-0013	13	73,2	66,33	47	22	1008	1	220-010-08xx
604-301-0014	14	78,2	71,34	52	22	1108	1	220-011-08xx
604-301-0015	15	83,2	76,35	60	25	1210	1	220-012-10xx
604-301-0016	16	88,3	81,37	63	25	1210	1	220-016-10xx
604-301-0017	17	93,3	86,39	71	25	1610	1	220-016-10xx
604-301-0018	18	98,3	91,42	71	25	1610	1	220-016-10xx
604-301-0019	19	103,3	96,44	75	25	1610	1	220-016-10xx
604-301-0020	20	108,4	101,49	76	25	1610	1	220-016-10xx
604-301-0021	21	113,4	106,51	76	25	1610	1	220-016-10xx
604-301-0022	22	118,4	111,55	76	25	1610	1	220-016-10xx
604-301-0023	23	123,5	116,58	76	25	1610	1	220-016-10xx
604-301-0024	24	128,5	121,62	90	32	2012	1	220-016-10xx
604-301-0025	25	133,6	126,66	90	32	2012	1	220-020-12xx
604-301-0026	26	138,6	131,70	90	32	2012	1	220-020-12xx
604-301-0027	27	143,6	136,74	90	32	2012	1	220-020-12xx
604-301-0028	28	148,7	141,78	90	32	2012	1	220-020-12xx
604-301-0030	30	158,8	151,87	90	32	2012	1	220-020-12xx
604-301-0038	38	199,1	192,23	100	32	2012	1	220-020-12xx
604-301-0045	45	236,0	227,58	111	32	2012	1	220-020-12xx
604-301-0057	57	296,6	288,18	111	32	2012	6	220-020-12xx
604-301-0076	76	392,5	384,16	111	32	2012	6	220-020-12xx

ISO-Nr. : **12 B-1**
 19,05 x 11,68 mm
 3/4" x 7/16"

Rollen Ø: 12,07 mm
 Werkstoff: Stahl C45
 Werkstoff ab ZZ 57: Grauguss EN-GJL-200

B1	C	r3
11,1	2,0	19,0







Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-401-0013	13	87,8	79,60	60	25	1210	1	220-012-10XX
604-401-0014	14	93,8	85,61	67	25	1610	1	220-016-10XX
604-401-0015	15	99,8	91,62	70	25	1610	1	220-016-10XX
604-401-0016	16	105,8	97,65	71	25	1610	1	220-016-10XX
604-401-0017	17	111,9	103,67	76	25	1610	1	220-016-10XX
604-401-0018	18	117,9	109,71	90	32	2012	1	220-020-12XX
604-401-0019	19	123,9	115,73	90	32	2012	1	220-020-12XX
604-401-0020	20	130,0	121,78	90	32	2012	1	220-020-12XX
604-401-0021	21	136,0	127,81	102	44	2517	1	220-025-17XX
604-401-0022	22	142,0	133,86	108	44	2517	1	220-025-17XX
604-401-0023	23	148,1	139,90	108	44	2517	1	220-025-17XX
604-401-0024	24	154,1	145,94	108	44	2517	1	220-025-17XX
604-401-0025	25	160,2	151,99	108	44	2517	1	220-025-17XX
604-401-0026	26	166,2	158,04	108	44	2517	1	220-025-17XX
604-401-0027	27	172,3	164,09	108	44	2517	1	220-025-17XX
604-401-0028	28	178,3	170,13	108	44	2517	1	220-025-17XX
604-401-0030	30	190,4	182,24	108	44	2517	1	220-025-17XX
604-401-0038	38	238,9	230,69	108	44	2517	1	220-025-17XX
604-401-0045	45	283,2	273,10	124	44	2517	1	220-025-17XX
604-401-0057	57	355,9	345,81	124	44	2517	6	220-025-17XX
604-401-0076	76	471,1	460,99	124	44	2517	6	220-025-17XX

ISO-Nr. : **16 B-1**
 25,4 x 17,02 mm
 1" x 17,02 mm

Rollen Ø: 15,88 mm
 Werkstoff: Stahl C45
 Werkstoff ab ZZ 57: Grauguss EN-GJL-200

B1	C	r3
16,2	2,5	26,0







Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-501-0013	13	117,7	106,13	73	38	1615	1	220-016-10XX
604-501-0014	14	125,7	114,15	75	38	1615	1	220-016-10XX
604-501-0015	15	133,7	122,16	76	38	1615	1	220-016-10XX
604-501-0016	16	141,8	130,20	90	32	2012	1	220-020-12XX
604-501-0017	17	149,8	138,23	90	32	2012	1	220-020-12XX
604-501-0018	18	157,8	146,28	108	44	2517	1	220-025-17XX
604-501-0019	19	165,9	154,31	108	44	2517	1	220-025-17XX
604-501-0020	20	173,9	162,38	110	44	2517	1	220-025-17XX
604-501-0021	21	182,0	170,42	110	44	2517	1	220-025-17XX
604-501-0022	22	190,1	178,48	110	44	2517	1	220-025-17XX
604-501-0023	23	198,1	186,53	110	44	2517	1	220-025-17XX
604-501-0024	24	206,2	194,59	110	44	2517	1	220-025-17XX
604-501-0025	25	214,2	202,66	110	44	2517	1	220-025-17XX
604-501-0026	26	222,3	210,72	110	44	2517	1	220-025-17XX
604-501-0027	27	230,4	218,79	110	44	2517	1	220-025-17XX
604-501-0028	28	238,4	226,85	110	44	2517	1	220-025-17XX
604-501-0030	30	254,6	242,99	120	44	2517	1	220-030-20XX
604-501-0038	38	319,2	307,59	160	51	3020	1	220-030-20XX
604-501-0045	45	377,9	364,12	160	51	3020	1	220-030-20XX
604-501-0057	57	474,9	461,07	160	51	3020	6	220-030-20XX
604-501-0076	76	628,4	614,65	160	51	3020	6	220-030-20XX

ISO-Nr. : **20 B-1**
31,75 x 19,56 mm
1" 1/4 x 3/4"

Rollen Ø: 19,05 mm
 Werkstoff: Stahl C45
 Werkstoff ab ZZ 38: Grauguss EN-GJL-200

B1	C	r3
18,5	3,5	32,0





Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-601-0015	15	167,7	152,72	110	44	2517	1	220-025-17XX
604-601-0017	17	187,7	172,78	110	44	2517	1	220-025-17XX
604-601-0019	19	207,9	192,91	110	44	2517	1	220-025-17XX
604-601-0021	21	228,0	213,04	120	44	2517	1	220-025-17XX
604-601-0023	23	248,2	233,17	120	44	2517	1	220-025-17XX
604-601-0025	25	268,4	253,33	120	44	2517	1	220-025-17XX
604-601-0030	30	318,7	303,65	160	51	3020	1	220-030-20XX
604-601-0038	38	399,4	384,49	160	51	3020	6	220-030-20XX



ISO-Nr. : **06 B-2**
 9,525 x 5,72 mm
 3/8" x 7/32"

Rollen Ø: 6,35 mm
 Werkstoff: Stahl C45
 Werkstoff ab ZZ 57: Grauguss EN-GJL-200

B2	b1	C	r3
15,4	5,2	1,0	10,0



V2




V7

Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-102-0017	17	55,5	51,83	41	22	1008	2	220-010-08XX
604-102-0018	18	58,6	54,85	43	22	1008	2	220-010-08XX
604-102-0019	19	61,6	57,86	46	22	1008	2	220-010-08XX
604-102-0020	20	64,6	60,89	48	22	1008	2	220-010-08XX
604-102-0021	21	67,6	63,90	49	22	1008	2	220-010-08XX
604-102-0022	22	70,6	66,93	52	22	1108	2	220-011-08XX
604-102-0023	23	73,7	69,95	59	25	1210	2	220-012-10XX
604-102-0024	24	76,7	72,97	61	25	1210	2	220-012-10XX
604-102-0025	25	79,7	75,99	64	25	1210	2	220-012-10XX
604-102-0026	26	82,7	79,02	65	25	1210	2	220-012-10XX
604-102-0027	27	85,7	82,04	70	25	1210	2	220-012-10XX
604-102-0028	28	88,8	85,07	70	25	1210	2	220-012-10XX
604-102-0030	30	94,8	91,12	75	25	1210	2	220-012-10XX
604-102-0038	38	119,0	115,34	80	25	1610	2	220-016-10XX
604-102-0057	57	177,5	172,91	92	25	1610	7	220-016-10XX
604-102-0076	76	235,1	230,49	92	25	1610	7	220-016-10XX


ISO-Nr. : **08 B-2**
 12,7 x 7,75 mm
 1/2" x 5/16"

Rollen Ø: 8,51 mm
 Werkstoff: Stahl C45

B2	b1	C	r3
21,0	7,0	1,3	13,0



V2





V7

Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-202-0015	15	66,5	61,80	46	22	1008	2	220-010-08XX
604-202-0016	16	69,9	65,10	50	22	1108	2	220-011-08XX
604-202-0017	17	74,5	69,11	56	25	1210	2	220-012-10XX
604-202-0018	18	78,0	73,14	60	25	1210	2	220-012-10XX
604-202-0019	19	82,5	77,15	62	25	1210	2	220-012-10XX
604-202-0020	20	86,0	81,19	66	25	1610	2	220-016-10XX
604-202-0021	21	90,6	85,21	70	25	1610	2	220-016-10XX
604-202-0025	22	94,1	89,24	76	25	1610	2	220-016-10XX
604-202-0023	23	98,7	93,26	79	25	1610	2	220-016-10XX
604-202-0024	24	102,1	97,29	84	32	2012	2	220-020-12XX
604-202-0025	25	106,7	101,32	87	32	2012	2	220-020-12XX
604-202-0026	26	110,2	105,36	87	32	2012	2	220-020-12XX
604-202-0027	27	114,8	109,39	87	32	2012	2	220-020-12XX
604-202-0028	28	118,3	113,42	87	32	2012	2	220-020-12XX
604-202-0030	30	126,9	121,49	87	32	2012	2	220-020-12XX
604-202-0038	38	159,2	153,79	100	32	2012	2	220-020-12XX
604-202-0057	57	237,1	230,54	111	32	2012	7	220-020-12XX
604-202-0076	76	313,9	307,33	111	32	2012	7	220-020-12XX



ISO-Nr. : **10 B-2**
 15,875 x 9,65 mm
 5/8" x 3/8"

Rollen Ø: 10,16 mm
 Werkstoff: Stahl C45

B2	b1	C	r3
25,5	9,0	1,6	16,0



V2




V3

Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-302-0015	15	83,2	76,35		25,5	1210	3	220-012-10XX
604-302-0016	16	88,3	81,37		25,5	1610	3	220-016-10XX
604-302-0017	17	93,3	86,39		25,5	1610	3	220-016-10XX
604-302-0018	18	98,3	91,42		25,5	1610	3	220-016-10XX
604-302-0019	19	103,3	96,44		25,5	1610	3	220-016-10XX
604-302-0020	20	108,4	101,49		25,5	1610	3	220-016-10XX
604-302-0021	21	113,4	106,51		25,5	1610	3	220-016-10XX
604-302-0022	22	118,4	111,55		25,5	1610	3	220-016-10XX
604-302-0023	23	123,5	116,58		25,5	1610	3	220-016-10XX
604-302-0024	24	128,5	121,62	90	32,0	2012	2	220-020-12XX
604-302-0025	25	133,6	126,66	90	32,0	2012	2	220-020-12XX
604-302-0026	26	138,6	131,70	90	32,0	2012	2	220-020-12XX
604-302-0027	27	143,6	136,74	90	32,0	2012	2	220-020-12XX
604-302-0028	28	148,7	141,78	90	32,0	2012	2	220-020-12XX
604-302-0030	30	158,8	151,87	90	32,0	2012	2	220-020-12XX


ISO-Nr. : **12 B-2**
19,05 x 11,68 mm
3/4" x 7/16"

Rollen Ø: 12,07 mm
 Werkstoff: Stahl C45


B2	b1	C	r3
30,3	11,1	2,0	19,0



V2



V3





V7

Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-402-0015	15	99,8	91,62		30,3	1610	3	220-016-10XX
604-402-0016	16	105,8	97,65		30,3	1610	3	220-016-10XX
604-402-0017	17	111,9	103,67		30,3	1610	3	220-016-10XX
604-402-0018	18	117,9	109,71	90	32	2012	2	220-020-12XX
604-402-0019	19	123,9	115,73	90	32	2012	2	220-020-12XX
604-402-0020	20	130,0	121,78	108	44	2517	2	220-025-17XX
604-402-0021	21	136,0	127,81	108	44	2517	2	220-025-17XX
604-402-0022	22	142,0	133,86	108	44	2517	2	220-025-17XX
604-402-0023	23	148,1	139,90	108	44	2517	2	220-025-17XX
604-402-0024	24	154,1	145,94	108	44	2517	2	220-025-17XX
604-402-0025	25	160,2	151,99	108	44	2517	2	220-025-17XX
604-402-0026	26	166,2	158,04	108	44	2517	2	220-025-17XX
604-402-0027	27	172,3	164,09	108	44	2517	2	220-025-17XX
604-402-0028	28	178,3	170,13	108	44	2517	2	220-025-17XX
604-402-0030	30	190,4	182,24	108	44	2517	2	220-025-17XX
604-402-0038	38	238,9	230,69	140	51	3020	2	220-030-20XX
604-402-0057	57	355,9	345,81	160	51	3020	7	220-030-20XX
604-402-0076	76	471,1	460,99	160	51	3020	7	220-030-20XX



ISO-Nr. : **16 B-2**
 25,4 x 17,02 mm
 1" x 17,02 mm

Rollen Ø: 15,88 mm
 Werkstoff: Stahl C45
 Werkstoff ZZ 38: Grauguss EN-GJL-200



B2	b1	C	r3
47,7	15,8	2,5	26,0



V2



V3




V7

Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-502-0015	15	133,7	122,16		47,7	2012	3	220-020-12XX
604-502-0016	16	141,8	130,20		47,7	2517	3	220-025-17XX
604-502-0017	17	149,8	138,23		47,7	2517	3	220-025-17XX
604-502-0018	18	157,8	146,28		47,7	2517	3	220-025-17XX
604-502-0019	19	165,9	154,31		47,7	2517	3	220-025-17XX
604-502-0020	20	173,9	162,38		47,7	2517	3	220-025-17XX
604-502-0021	21	182,0	170,42	140	51	3020	2	220-030-20XX
604-502-0022	22	190,1	178,48	140	51	3020	2	220-030-20XX
604-502-0023	23	198,1	186,53	140	51	3020	2	220-030-20XX
604-502-0024	24	206,2	194,59	140	51	3020	2	220-030-20XX
604-502-0025	25	214,2	202,66	140	51	3020	2	220-030-20XX
604-502-0026	26	222,3	210,72	140	51	3020	2	220-030-20XX
604-502-0027	27	230,4	218,79	140	51	3020	2	220-030-20XX
604-502-0028	28	238,4	226,85	140	51	3020	2	220-030-20XX
604-502-0030	30	254,6	242,99	140	76	3030	2	220-030-30XX
604-502-0038	38	319,2	307,59	160	76	3030	7	220-030-30XX
604-502-0057	57	474,9	461,07	178	89	3535	7	220-035-35XX

ISO-Nr. : **06 B-3**
 9,525 x 5,72 mm
 3/8" x 7/32"

Rollen Ø: 6,35 mm
 Werkstoff: Stahl C45

V5







B3	b1	C	r3
25,6	5,2	1,0	10,0

Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-103-0017	17	55,5	51,83		25,6	1008	5	220-010-08xx
604-103-0019	19	61,6	57,86		25,6	1008	5	220-010-08xx
604-103-0021	21	67,6	63,90		25,6	1008	5	220-010-08xx
604-103-0023	23	73,7	69,95		25,6	1210	5	220-012-10xx
604-103-0025	25	79,7	75,99		25,6	1210	5	220-012-10xx
604-103-0027	27	85,7	82,04		25,6	1210	5	220-012-10xx
604-103-0030	30	119,0	91,12	79	25,6	1615	4	220-016-15xx
604-103-0038	38	141,1	115,34	90	25,6	1615	4	220-016-15xx

ISO-Nr. : **08 B-3**
12,7 x 7,75 mm
1/2" x 5/16"

Rollen Ø: 8,51 mm
Werkstoff: Stahl C45

B3	b1	C	r3
34,9	7,0	1,3	13,0




Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-203-0015	15	66,5	61,80		34,9	1008	5	220-010-08xx
604-203-0017	17	74,5	69,11		34,9	1210	5	220-012-10xx
604-203-0019	19	82,5	77,15	62	38,0	1215	4	220-012-15xx
604-203-0021	21	90,6	85,21	70	38,0	1615	4	220-016-15xx
604-203-0023	23	98,7	93,26	70	38,0	1615	4	220-016-15xx
604-203-0025	25	106,7	101,32		34,9	2012	5	220-020-12xx
604-203-0027	27	114,8	109,39		34,9	2012	5	220-020-12xx
604-203-0030	30	126,9	121,49		34,9	2012	5	220-020-12xx
604-203-0038	38	159,2	153,79		34,9	2012	5	220-020-12xx


ISO-Nr. : **10 B-3**
 15,875 x 9,65 mm
 5/8" x 3/8"

Rollen Ø: 10,16 mm
 Werkstoff: Stahl C45

B3	b1	C	r3
42,1	9,0	1,6	16,0



V4





V5

Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-303-0015	15	83,2	76,35		42,1	1215	5	220-012-15xx
604-303-0017	17	93,3	86,39		42,1	1215	5	220-012-15xx
604-303-0019	19	103,3	96,44		42,1	1615	5	220-016-15xx
604-303-0021	21	113,4	106,51		42,1	1615	5	220-016-15xx
604-303-0023	23	123,5	116,58		42,1	2012	5	220-020-12xx
604-303-0025	25	133,6	126,66	105	44,0	2517	4	220-025-17xx
604-303-0027	27	143,6	136,74	110	44,0	2517	4	220-025-17xx
604-303-0030	30	158,8	151,87	120	44,0	2517	4	220-025-17xx



ISO-Nr. : **12 B-3**
19,05 x 11,68 mm
3/4" x 7/16"

Rollen Ø: 12,07 mm
Werkstoff: Stahl C45

B3	b1	C	r3
49,8	11,1	2,0	19,0



V4





V5

Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-403-0015	15	99,8	91,62		49,8	1615	5	220-016-15xx
604-403-0017	17	111,9	103,67		49,8	1615	5	220-016-15xx
604-403-0019	19	123,9	115,73		49,8	2012	5	220-020-12xx
604-403-0021	21	136,0	127,81		49,8	2517	5	220-025-17xx
604-403-0023	23	148,1	139,90		49,8	2517	5	220-025-17xx
604-403-0025	25	160,2	151,99		49,8	2517	5	220-025-17xx
604-403-0027	27	172,3	164,09	140	51,0	3020	4	220-030-20xx
604-403-0030	30	190,4	182,24	140	51,0	3020	4	220-030-20xx
604-403-0038	38	238,9	230,69	140	51,0	3020	4	220-030-20xx
604-403-0057	57	355,9	345,81	160	51,0	3020	8	220-030-20xx


ISO-Nr. : **16 B-3**
 25,4 x 17,02 mm
 1" x 17,02 mm

Rollen Ø: 15,88 mm
 Werkstoff: Stahl C45
 Werkstoff ZZ 38: Grauguss EN-GJL-200



B3	b1	C	r3
79,6	15,8	2,5	26,0



V4



V5



V8

Bestellnummer	ZZ	DK	D	ND	L	Buchsentyp	Variante (V)	Klemmbuchse
604-503-0017	17	149,8	138,23		79,6	2517	5	220-025-17xx
604-503-0019	19	165,9	154,31		79,6	3030	5	220-030-30xx
604-503-0021	21	182,0	170,42		79,6	3030	5	220-030-30xx
604-503-0023	23	198,1	186,53	159	89	3535	4	220-035-35xx
604-503-0025	25	214,2	202,66	175	89	3535	4	220-035-35xx
604-503-0027	27	230,4	218,79	175	89	3535	4	220-035-35xx
604-503-0030	30	254,6	242,99	175	89	3535	4	220-035-35xx
604-503-0038	38	319,2	307,59	178	89	3535	8	220-035-35xx
604-503-0057	57	474,9	461,07	216	102	4040	8	220-040-40xx